FLEETX®

HEAVY-DUTY CAMSHAFTS

Drive / Steer & Trailer Applications



PREMIUM PRODUCT CATALOGUE

ENGINEERED FOR THE HEAVY-DUTY AFTERMARKET

TECHLINK INDUSTRIES CORPORATION

FleetX Camshaft Drive / Steer Application Left Hand

FLXCS-9659

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-9659**
Axle Type	Drive or Steer
Brake Diameter	16.50"
Brake Type	Meritor Q+
Effective Length	11.02"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	1.81"
Journal Diameter	1.50"
Head Type	11
Left Or Right	LH
Camshaft Repair Kit	FLXRK-3993B
Euclid Cross Reference	E-9659

PRODUCT VIEW

LH APPLICATION



ILLUSTRATION

PART NUMBER **FLXCS-9659**

Listed by camshaft length from under head to beginning of lock ring groove.





Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.



FleetX Camshaft Drive / Steer Application Right Hand

FLXCS-9660

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-9660**
Axle Type	Drive or Steer
Brake Diameter	16.50"
Brake Type	Meritor Q+
Effective Length	11.02"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	1.81"
Journal Diameter	1.50"
Head Type	11
Left Or Right	RH
Camshaft Repair Kit	FLXRK-3993B
Euclid Cross Reference	E-9660

PRODUCT VIEW

RH APPLICATION



ILLUSTRATION

PART NUMBER **FLXCS-9660**

Listed by camshaft length from under head to beginning of lock ring groove.





Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.



FleetX Camshaft Drive / Steer Application Left Hand

FLXCS-9661

SPECIFICATION

BRAND	**FLEETX**
PART NUMBER	**FLXCS-9661**
Axle Type	Drive or Steer
Brake Diameter	16.50"
Brake Type	Meritor Q+
Effective Length	11.59"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	1.81"
Journal Diameter	1.50"
Head Type	11
Left Or Right	LH
Camshaft Repair Kit	FLXRK-9080
Euclid Cross Reference	E-9661

PRODUCT VIEW

LH APPLICATION



ILLUSTRATION

PART NUMBER **FLXCS-9661**

Listed by camshaft length from under head to beginning of lock ring groove.





Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.



FleetX Camshaft Drive / Steer Application Right Hand

FLXCS-9662

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-9662**
Axle Type	Drive or Steer
Brake Diameter	16.50"
Brake Type	Meritor Q+
Effective Length	11.59"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	1.81"
Journal Diameter	1.50"
Head Type	11
Left Or Right	RH
Camshaft Repair Kit	FLXRK-9080
Euclid Cross Reference	E-9662

PRODUCT VIEW

RH APPLICATION



ILLUSTRATION

PART NUMBER FLXCS-9662

Listed by camshaft length from under head to beginning of lock ring groove.





Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.



FleetX Camshaft Drive / Steer Application Left Hand

FLXCS-9649

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-9649**
Axle Type	Drive or Steer
Brake Diameter	16.50"
Brake Type	Meritor Q+
Effective Length	8.59"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	1.81"
Journal Diameter	1.50"
Head Type	11
Left Or Right	LH
Camshaft Repair Kit	FLXRK-3993B
Euclid Cross Reference	E-9649

PRODUCT VIEW

LH APPLICATION



ILLUSTRATION

PART NUMBER **FLXCS-9649**

Listed by camshaft length from under head to beginning of lock ring groove.



Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.





FleetX Camshaft Drive / Steer Application Right Hand — FLXCS-9650

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-9650**
Axle Type	Drive or Steer
Brake Diameter	16.50"
Brake Type	Meritor Q+
Effective Length	8.59"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	1.81"
Journal Diameter	1.50"
Head Type	11
Left Or Right	RH
Camshaft Repair Kit	FLXRK-3993B
Euclid Cross Reference	E-9650

PRODUCT VIEW

RH APPLICATION



ILLUSTRATION

PART NUMBER FLXCS-9650

Listed by camshaft length from under head to beginning of lock ring groove.







Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.

FleetX Camshaft Drive / Steer Application Left Hand

FLXCS-1095

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-1095**
Axle Type	Trailer
Brake Diameter	16.50"
Brake Type	Multi Application
Effective Length	23.47"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	10
Bushing Journal Length	2.50"
Journal Diameter	1.50"
Head Type	1
Left Or Right	LH
Camshaft Repair Kit	FLXRK-2088A
Euclid Cross Reference	E-1095

PRODUCT VIEW

LH APPLICATION



ILLUSTRATION

PART NUMBER **FLXCS-1095**



Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.



FleetX Camshaft Drive / Steer Application Right Hand

FLXCS-1094

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-1094**
Axle Type	Trailer
Brake Diameter	16.50"
Brake Type	Multi Application
Effective Length	23.47"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	10
Bushing Journal Length	2.50"
Journal Diameter	1.50"
Head Type	1
Left Or Right	RH
Camshaft Repair Kit	FLXRK-2088A
Euclid Cross Reference	E-1094

PRODUCT VIEW

RH APPLICATION



ILLUSTRATION

PART NUMBER **FLXCS-1094**

Listed by camshaft length from under head to beginning of lock ring groove.







Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.

FleetX Camshaft Drive / Steer Application Left Hand

FLXCS-11866

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-11866**
Axle Type	Trailer
Brake Diameter	16.50"
Brake Type	Hendrickson Intraax
Effective Length	11.03"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	2.312"
Journal Diameter	1.625"
Head Type	2
Left Or Right	LH
Camshaft Repair Kit	FLXRK-11897 or FLXRK-11450HD
Euclid Cross Reference	E-11866

PRODUCT VIEW

LH APPLICATION



ILLUSTRATION

PART NUMBER FLXCS-11866

Listed by camshaft length from under head to beginning of lock ring groove.





Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.



FleetX Camshaft Drive / Steer Application Right Hand

FLXCS-11867

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-11867**
Axle Type	Trailer
Brake Diameter	16.50"
Brake Type	Hendrickson Intraax
Effective Length	11.03"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	2.312"
Journal Diameter	1.625"
Head Type	2
Left Or Right	RH
Camshaft Repair Kit	FLXRK-11897 or FLXRK-11450HD
Euclid Cross Reference	E-11867

PRODUCT VIEW

RH APPLICATION



ILLUSTRATION

PART NUMBER **FLXCS-11867**



Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.



FleetX Camshaft Drive / Steer Application Left Hand

FLXCS-2441B

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-2441B**
Axle Type	Trailer
Brake Diameter	16.50"
Brake Type	Meritor P, Q, Q+
Effective Length	17.31"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	1.703"
Journal Diameter	1.625"
Head Type	11
Left Or Right	LH
Camshaft Repair Kit	FLXRK-3520A or FLXRK-3520AHD
Euclid Cross Reference	E-2441B

PRODUCT VIEW

LH APPLICATION



ILLUSTRATION

PART NUMBER **FLXCS-2441B**

Listed by camshaft length from under head to beginning of lock ring groove.





Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.



FleetX Camshaft Drive / Steer Application Right Hand — FLXCS-2442B

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-2442B**
Axle Type	Trailer
Brake Diameter	16.50"
Brake Type	Meritor P, Q, Q+
Effective Length	17.31"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	1.703"
Journal Diameter	1.625"
Head Type	11
Left Or Right	RH
Camshaft Repair Kit	FLXRK-3520A or FLXRK-3520AHD
Euclid Cross Reference	E-2442B

PRODUCT VIEW

RH APPLICATION



ILLUSTRATION

PART NUMBER FLXCS-2442B

Listed by camshaft length from under head to beginning of lock ring groove.





Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.



FleetX Camshaft Drive / Steer Application Left Hand

FLXCS-5506

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-5506**
Axle Type	Trailer
Brake Diameter	16.50"
Brake Type	Meritor Q+
Effective Length	17.31"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	1.97"
Journal Diameter	1.625"
Head Type	11
Left Or Right	LH
Camshaft Repair Kit	FLXRK-9078HD or FLXRK-9079HD
Euclid Cross Reference	E-5506

PRODUCT VIEW

LH APPLICATION



ILLUSTRATION

PART NUMBER **FLXCS-5506**

Listed by camshaft length from under head to beginning of lock ring groove.



Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.





FleetX Camshaft Drive / Steer Application Right Hand

FLXCS-5507

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-5507**
Axle Type	Trailer
Brake Diameter	16.50"
Brake Type	Meritor Q+
Effective Length	17.31"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	1.97"
Journal Diameter	1.625"
Head Type	11
Left Or Right	RH
Camshaft Repair Kit	FLXRK-9078HD or FLXRK-9079HD
Euclid Cross Reference	E-5507

PRODUCT VIEW

RH APPLICATION



ILLUSTRATION

PART NUMBER FLXCS-5507

Listed by camshaft length from under head to beginning of lock ring groove.





Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.



FleetX Camshaft Drive / Steer Application Left Hand

FLXCS-9735

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-9735**
Axle Type	Trailer
Brake Diameter	16.50"
Brake Type	Spicer XL
Effective Length	23.57"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	2.25"
Journal Diameter	1.625"
Head Type	2
Left Or Right	LH
Camshaft Repair Kit	FLXRK-11910 or FLXRK-9790A
Euclid Cross Reference	E-9735

PRODUCT VIEW

LH APPLICATION



ILLUSTRATION

PART NUMBER **FLXCS-9735**

Listed by camshaft length from under head to beginning of lock ring groove.



Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.





FleetX Camshaft Drive / Steer Application Right Hand

FLXCS-9736

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-9736**
Axle Type	Trailer
Brake Diameter	16.50"
Brake Type	Spicer XL
Effective Length	23.57"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	2.25"
Journal Diameter	1.625"
Head Type	2
Left Or Right	RH
Camshaft Repair Kit	FLXRK-11910 or FLXRK-9790A
Euclid Cross Reference	E-9736

PRODUCT VIEW

RH APPLICATION



ILLUSTRATION

PART NUMBER **FLXCS-9736**

Listed by camshaft length from under head to beginning of lock ring groove.



Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.





FleetX Camshaft Drive / Steer Application Left Hand

FLXCS-5510

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-5510**
Axle Type	Trailer
Brake Diameter	16.50"
Brake Type	Meritor Q+
Effective Length	24.07"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	1.97"
Journal Diameter	1.625"
Head Type	11
Left Or Right	LH
Camshaft Repair Kit	FLXRK-9078HD (Press-In Bushing)
Euclid Cross Reference	E-5510

PRODUCT VIEW

LH APPLICATION



ILLUSTRATION

PART NUMBER **FLXCS-5510**

Listed by camshaft length from under head to beginning of lock ring groove.



Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.





FleetX Camshaft Drive / Steer Application Right Hand

FLXCS-5511

SPECIFICATION

BRAND	FLEETX
PART NUMBER	**FLXCS-5511**
Axle Type	Trailer
Brake Diameter	16.50"
Brake Type	Meritor Q+
Effective Length	24.07"
Camshaft Spline Diameter	1.50"
Camshaft Spline Count	28
Bushing Journal Length	1.97"
Journal Diameter	1.625"
Head Type	11
Left Or Right	RH
Camshaft Repair Kit	FLXRK-9079HD (Bolt-On Bushing)
Euclid Cross Reference	E-5511

PRODUCT VIEW

RH APPLICATION



ILLUSTRATION

PART NUMBER **FLXCS-5511**

Listed by camshaft length from under head to beginning of lock ring groove.



Camshaft head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.





FLEETX®

HEAVY-DUTY CAMSHAFTS



TECHLINK INDUSTRIES CORPORATION

Heavy-Duty Commercial Vehicle Parts & Components

www.fleetxparts.com

sales@fleetxparts.com

+1-905-737-4060

TECHLINK INDUSTRIES CORPORATION